

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	93	(("5507090") or ("6210046") or ("6210046") or ("5817944") or ("5916682") or ("5265475") or ("5841529") or ("6655218") or ("6896961") or ("6986286") or ("7082837") or ("7296477") or ("20030066356") or ("20040028885") or ("20040050171") or ("20060123918") or ("20070107527") or ("20080034881") or ("4576052") or ("4920806") or ("5906550") or ("5212756") or ("5698848") or ("5711960") or ("5856621") or ("6004639") or ("4828472") or ("5319026") or ("5360426") or ("5563967") or ("5618595") or ("5636836") or ("5879767") or ("5921285") or ("6270950") or ("6944374") or ("20040218863") or ("20070264124") or ("5812251") or ("4267724") or ("4398429") or ("4471663") or ("4476726") or ("4493220") or ("4774129") or ("5305645") or ("5457984") or ("5540078") or ("5631622") or ("5712432") or (")).	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 10:35

		pn.")) .PN.				
L2	2	1 and (pin wire electorde) near3 (normal \$4 perpendicular\$4 orthogonal\$4 protrud\$4). clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/23 10:37
L3	0	1 and strain near5 sandwich\$4.clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/23 10:39
L4	0	1 and strain near5 sandwich\$4.clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/23 10:39
L5	17	1 and (foil thin film). clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/23 10:39
L6	4	5 and (fiber composite polymer resin) near3 (((force load stress strain compress\$4 tensi\$3) near3 (measur\$5 indicat \$4 meter\$4 test\$4 detect \$4 determin\$4 sens\$4 identi\$6 evaluat\$5 estimat\$5 transducer gauge cell monitor\$4 comput\$5 inspect\$5 meter calculat\$4)). clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/23 10:40
S1	107	((foil near3 (force load stress strain compress \$4 tensi\$3) near3 (measur\$5 indicat\$4 meter\$4 test\$4 detect\$4 determin\$4 sens\$4 identi\$6 evaluat\$5 estimat\$5 transducer gauge cell monitor\$4 comput\$5 inspect\$5 meter calculat\$4)). clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/21 11:57
S2	2	S1 and (pin wire electorde) near3 (normal \$4 perpendicular\$4 orthogonal\$4 protrud\$4). clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/21 11:58
S3	3	S1 and (pin wire electorde) near3 (normal \$4 perpendicular\$4 orthogonal\$4 protrud\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/21 11:59

S4	106603	((force load stress strain compress\$4 tensi\$3) near3 (measur\$5 indicat\$4 meter\$4 test\$4 detect\$4 determin\$4 sens\$4 identi\$6 evaluat\$5 estimat\$5 transducer gauge cell monitor\$4 comput\$5 inspect\$5 meter calculat\$4)). cfm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/21 12:02
S5	302	S4 and (pin wire electorde) near3 (normal\$4 perpendicular\$4 orthogonal\$4 protrud\$4). cfm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/21 12:03
S6	17	S5 and (foil thin film). cfm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/21 12:03
S7	5177	(73/760-788).CCLS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/21 12:09
S8	381	S7 and (foil thin film). cfm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/21 12:09
S9	25	S7 and (pin wire electorde) near3 (normal\$4 perpendicular\$4 orthogonal\$4 protrud\$4). cfm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/21 12:09
S10	1047	((fiber composite polymer resin) near3 ((force load stress strain compress\$4 tensi\$3) near3 (measur\$5 indicat\$4 meter\$4 test\$4 detect\$4 determin\$4 sens\$4 identi\$6 evaluat\$5 estimat\$5 transducer gauge cell monitor\$4 comput\$5 inspect\$5 meter calculat\$4)). cfm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/22 08:57
S11	0	strain near5 sandwich\$4.cfm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/22 08:58
S12	27	strain near5 sandwich\$4.cfm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/22 08:58
S14	18	S12 and layer.cfm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/22 08:59

2/ 23/ 09 10:41:43 AM

C:\Documents and Settings\MNoori\My Documents\EAST\Workspaces\max.wsp